

DF486C



### FEATURES

- Rigorously tested for decades of use
- Exceptional support from our Customer Care team in Madison
- Continuous cast-iron grates for easy movement of pots and pans
- Cobalt blue porcelain interior
- Dual-stacked burners produce up to 20,000 Btu
- Burners capable of delivering less than 300 Btu for premier simmer performance
- Dual convection oven for faster, more consistent cooking
- Spark ignition system re-ignites if flame goes out
- Heavy-gauge stainless steel
- Exclusive pivoting control panel
- Red, black or stainless steel control knobs
- Temperature probe cooks to ideal doneness and lets you know when it's ready
- Self clean, delayed start, timed cook, Sabbath mode and more
- 10 cooking modes make meals easy
- Second 18" single convection oven
- 6 dual-stacked burners plus 16,000 Btu infrared charbroiler

### ACCESSORIES


- 18" Broiler Pan
- 18" Dehydration Kit
- 2-Burner Wok Grate
- 3 1/4" (83) Front Leg Covers
- 3 3/4" (95) Front Leg Covers
- 30" Broiler Pan
- 48" and 60" Black Knobs
- 48" and 60" Red Knobs
- 48" and 60" Stainless Steel Knobs
- 804667-4 1/4" (108) Front Leg Covers
- 805092-4 3/4" (121) Front Leg Covers
- 805093-3 1/4" (83) Rear Caster Covers
- 805094-3 3/4" (95) Rear Caster Covers
- 805095-4 1/4" (108) Rear Caster Covers
- 805096-4 3/4" (121) Rear Caster Covers
- 807143-30" Bake Stone Kit
- 812694-30" Full-Extension Oven Rack
- Baking Sheet



### KNOB OPTIONS



### TOP CONFIGURATION



### RANGETOP SPECIFICATIONS

- 1 - 9,200 Btu Burner
- 2 - 15,000 Btu Burners
- 2 - 18,000 Btu Burners
- 1 - 20,000 Btu Burner
- 1 - 16,000 Btu Charbroiler

Black Knobs

Dehydration Kit

Filler Trim

Oven Rack Set (3)

Premier Baking Sheet

Red Knobs

S-Grates

Stainless Steel Knobs

Temperature Probe

Stainless steel, brass or chrome bezels

5" and 10" stainless steel risers, and 20" riser with shelf

Accessories available through an authorized dealer.

For local dealer information, visit [subzero-wolf.com/locator](https://subzero-wolf.com/locator).


Specifications are subject to change without notice. This information was generated on June 20, 2023. Verify specifications prior to finalizing your cabinetry/enclosures.



**PRODUCT SPECIFICATIONS**


Model	DF486C
Dimensions	47 7/8"W x 36 7/8"H x 29 1/2"D
Oven 1 Usable Capacity	1.5 cu. ft.
Oven 1 Overall Capacity	2.5 cu. ft.
Oven 2 Usable Capacity	2.8 cu. ft.
Oven 2 Overall Capacity	4.5 cu. ft.
Door Clearance	19 1/2"
Weight	750 lbs
Electrical Supply	240/208 VAC, 60 Hz
Electrical Service	50 amp dedicated circuit
Gas Supply	3/4" ID line
Gas Inlet	1/2" NPT female

**DIMENSIONS**




**ELECTRICAL**

**GAS**



**NOTE:** Dimensions in parenthesis are in millimeters unless otherwise specified

**STANDARD INSTALLATION**



\*Without ventilation hood, 36" (914) minimum clearance countertop to combustible materials, 44" (118) for charbroiler.

**NOTE:** Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.

For island installation, 12" (305) minimum clearance back of range to combustible rear wall above countertop.